



SoftWin3 Version Log

SoftWin3 Version 1.03.00 2006-05-23

1. SCS_Client: Fingerprints in log-files.
2. SCS_FPLogExport.exe – new application.

New records in "FIELDS" (Database.mdb):

| ID | TABLE_ID | NAME | TYPE | SIZE | DEFAULT | INDEX |
|---------------|-------------|------|--------|------|---------|-------|
| F_LOGGING_FP1 | DBT_LOGGING | F1 | OBJECT | | | 0 |
| F_LOGGING_FP2 | DBT_LOGGING | F2 | OBJECT | | | 0 |

New records in "LOG_FIELDS" (Database.mdb):

| FIELD_ID | EVENT | LINK_NAME | LINK_REF | T_COND | FIELD_NAME | TYPE | SIZE | USE | FIELD_DESCR |
|---------------|-------|-----------|----------|--------|------------|--------|------|-----|-------------------|
| F_LOGGING_FP1 | F1 | | | 0 | F1 | OBJECT | | No | Logs fingerprint1 |
| F_LOGGING_FP2 | F2 | | | 0 | F2 | OBJECT | | No | Logs fingerprint2 |

SoftWin3 Version 1.03.01 2006-07-24

1. SCS_Client: TCP/IP Mux card (hardware not finished yet, probably software must be changed).
2. SCS_Client, SCS_CardMake: fixed bug "PrintLabel".
3. SCS_Client: Finger print – "Auto Visitor Replacement".
4. SCS_Client: System Enrollment – corrected visitor range.
5. SCS_Client: External Link – Input/output messages.
6. SCS_POS.exe: "Posiflex" screen displays information.

New records in "FIELDS" (Database.mdb):

| ID | TABLE_ID | NAME | TYPE | SIZE | DEFAULT | INDEX |
|-------------------|-------------|-------------|--------|------|---------|-------|
| F_MUX_IP_WAIT_PER | DBT_MUX | IP_WAIT_PER | NUMBER | | 1 | 0 |
| F_MUX_IP_HOST | DBT_MUX | IP_HOST | TEXT | 32 | | 0 |
| F_MUX_IP_NO_DELAY | DBT_MUX | IP_NO_DELAY | NUMBER | | 0 | 0 |
| F_GEN_VFPS_CARD | DBT_GENERAL | VFPS_CARD | NUMBER | | 0 | 0 |

Changed records in "RAM_GROUPS" (Database.mdb):

| ID | NAME | RAM_SIZE | SCS_APP |
|------|---------------|----------|---------|
| 3040 | VisCardRef | 1 | 4 |
| 8031 | PosPayDisplay | -1 | 2 |

Changes in "SQL_READ" (Database.mdb):

| ID | GROUP_ID | TABLE_ID | FIELDS_ID | WHERE_ID |
|-----|----------|---------------|---|-----------------|
| 559 | 3040 | DBT_CD | F_CD_NUM,F_CD_ISSUE1,F_CD_MASTER_CD,F_CD_TEMP_CD,F_CD_CNTRL_GRP | F_CD_REF |
| 560 | 8031 | DBT_PPOS_DPAY | F_PPOS_DPAY_NAME | F_PPOS_DPAY_REF |

| IDD | IDC | DISPLAY_NAME | FIELD_ID | REFERENCE_ID | DISPLAY_ID | RAM_ID | BIG_LIST |
|------|------|------------------------|-----------------|--------------|------------|--------|----------|
| 9006 | 9533 | Auto Visitor Placement | F_GEN_VFPS_CARD | | | | |
| 9092 | 9533 | Auto Visitor Placement | F_GEN_VFPS_CARD | | | | |

New records in "LIST_FIELDS" (Editor.mdb)

| REF | LIST_ID | FIELD_ID | REFERENCE_ID | DISPLAY_ID | RAM_ID | EDIT_TYPE | DISPLAY | WIDTH | ORDER | ACCESS | BOLD |
|------|---------|---------------------|-----------------|------------------|--------|-----------|---------------|-------|-------|--------|------|
| 1720 | 9 | F_MUX_IP_HOST | | | | 1 | IP Host | 50 | 11 | 2 | |
| 1721 | 9 | F_MUX_IP_WAIT_PER | | | | 1 | IP Wait (sec) | 50 | 12 | 2 | |
| 1722 | 9 | F_MUX_IP_NO_DELAY | | | | 4 | IP No Delay | 50 | 13 | 2 | |
| 1723 | 77 | F_PC_PPOS_DPAY_TYPE | F_PPOS_DPAY_REF | F_PPOS_DPAY_NAME | 8031 | 2 | PayDisplay | 50 | 10 | 2 | |

New files in folder C:\Softwin3\Templet:

POS_AddCash.txt, POS_DisplayHolder.txt, POS_DisplayItem.txt, POS_DisplaySale.txt

SoftWin3 Version 1.03.02 2006-09-15

1. SCS_DistServer: Fixed bugs: "Create Audit files", "Process files".
2. SCS_Client: Event printer, Added Filter + Card Additional Information (like activity).
3. SCS_PPos: Take On does not change values in fields "Cash Up" and Add value to "Take On"
4. SCS_PPos: Pay On Entry improve speed problems.

SoftWin3 Version 1.03.03 2006-10-10

1. SCS_Server: Fixed some bugs: "real time list editor update".
2. SCS_Client: Tried to make speed with SAGEM FP Readers.

SoftWin3 Version 1.03.04 2006-10-24

1. SCS_DistServer: some changes (sorry, cannot remember).
2. SCS_Client, SCS_CardMake: "Sagem" problems.
3. SCS_CntrlModem: fixed bug "continuous work".

SoftWin3 Version 1.03.05 2006-11-08

1. SCS_Client: changes "Sagem problems".
2. SCS_CntrlModem: changes by modem protocol.
3. SCS_Client: changes on TCP/IP + others mux related topics.

SoftWin3 Version 1.03.06 2006-11-29

1. SCS_Client, SCS_CardMake, SCS_Visitor: Added printer to Card, Visitor Labels.
2. SCS_CntrlModem: Dial-up timeout.
3. SCS_Client, SCS_CardMake: Sagem
4. 4.1. To use new SAGEM software: install rainbow.exe (rainbow.zip 2006-11-22 size 7,355 KB)
 4.2. Copy Active_MACI.dll to C:\Program Files\SAGEM\Morpho Components\Active_MACI\lib.
 4.3. Go to Start->run. Type regsvr32 "C:\Program Files\SAGEM\Morpho Components\Active_MACI\lib\Active_MACI.dll" and click OK.

New records in "FIELDS" (Database.mdb):

| ID | TABLE_ID | NAME | TYPE | SIZE | DEFAULT | INDEX |
|------------------|------------|---------|--------|------|---------|-------|
| F_LABELS_PRINTER | DBT_LABELS | PRINTER | NUMBER | | 0 | 0 |

Changed records in "RAM_GROUPS" (Database.mdb):

| ID | NAME | RAM_SIZE | SCS_APP |
|------|-------------|----------|---------|
| 4053 | CMPrinters | -1 | 5 |
| 3041 | VisPrinters | -1 | 4 |

Changes in "SQL_READ" (Database.mdb):

| ID | GROUP_ID | TABLE_ID | FIELDS_ID | WHERE_ID |
|-----|----------|------------|--------------------------------|--------------|
| 123 | 87 | DBT_LABELS | F_LABELS_FILE,F_LABELS_PRINTER | F_LABELS_REF |
| 125 | 3016 | DBT_LABELS | F_LABELS_FILE,F_LABELS_PRINTER | F_LABELS_REF |
| 141 | 4016 | DBT_LABELS | F_LABELS_FILE,F_LABELS_PRINTER | F_LABELS_REF |
| 561 | 3041 | DBT_PRN | * | F_PRN_REF |
| 562 | 4053 | DBT_PRN | * | F_PRN_REF |

New records in "LIST" (Editor.mdb)

| ID | NAME | GR_LIST | DLG_ID | GROUPS |
|-----|------------------|---------|--------|--------|
| 57 | Card Backgrounds | 20 | | |
| 160 | Visitor Printers | 19 | | |
| 161 | Client Printers | 18 | | |
| 162 | Card Labels | 18 | | |
| 163 | Card Labels | 3 | | |

New records in "LIST_FIELDS" (Editor.mdb)

| REF | LIST_ID | FIELD_ID | REFERENCE_ID | DISPLAY_ID | RAM_ID | EDIT_TYPE | DISPLAY | WIDTH | ORDER | ACCESS | BOLD |
|------|---------|------------------|--------------|------------|--------|-----------|---------|-------|-------|--------|------|
| 1724 | 47 | F_LABELS_PRINTER | F_PRN_REF | F_PRN_NAME | | 2 | Printer | 50 | 3 | 2 | |
| 1725 | 48 | F_LABELS_PRINTER | F_PRN_REF | F_PRN_NAME | | 2 | Printer | 50 | 3 | 2 | |
| 1726 | 160 | F_PRN_REF | | | | 1 | Ref | 50 | 0 | 1 | |
| 1728 | 160 | F_PRN_NAME | | | | 1 | Name | 50 | 1 | 2 | |
| 1729 | 161 | F_PRN_REF | | | | 1 | Ref | 50 | 0 | 2 | |
| 1730 | 161 | F_PRN_NAME | | | | 1 | Name | 50 | 1 | 2 | |
| 1731 | 162 | F_LABELS_REF | | | | 1 | Ref | 50 | 0 | 1 | |
| 1732 | 162 | F_LABELS_FILE | | | | 12 | File | 50 | 1 | 2 | |
| 1733 | 162 | F_LABELS_PRINTER | F_PRN_REF | F_PRN_NAME | | 2 | Printer | 50 | 2 | 2 | |

SoftWin3 Version 1.03.07 2006-11-29

1. SCS_Client, MuxTest Add serial modem direct (not via Cntl_Modem). No Poll option

New records in "LIST_FIELDS" (Editor.mdb)

| REF | LIST_ID | FIELD_ID | REFERENCE_ID | DISPLAY_ID | RAM_ID | EDIT_TYPE | DISPLAY | WIDTH | ORDER | ACCESS | BOLD |
|------|---------|-----------------|--------------|------------|--------|-----------|------------|-------|-------|--------|------|
| 1739 | 9 | F_MUX_DONT_POLL | | | | 4 | Don't Poll | 50 | 14 | 2 | |

SoftWin3 Version 1.03.08 2007-02-19

1. SCS_DistServer: reference ranges table, fixed audit "Add records" problem.
2. SCS_POS: Correct add cash to equal or more than due (only was mode).
3. SCS_CLIENT: Correct windows error in AZG edit after adding new user.

New records in "TABLES" (Database.mdb):

| ID | SOURCE_ID | NAME | RECORDS | DESCRIPTION |
|----------------|-----------|------------|---------|-------------|
| DBT_REF_RANGES | 1 | REF_RANGES | 21 | |

New records in "FIELDS" (Database.mdb):

| ID | TABLE_ID | NAME | TYPE | SIZE | DEFAULT | INDEX |
|-------------------|----------------|-----------|--------|------|---------|-------|
| F_REF_RANGES_REF | DBT_REF_RANGES | REFERENCE | NUMBER | | 1+1 | 1 |
| F_REF_RANGES_PC | DBT_REF_RANGES | PC | NUMBER | | | |
| F_REF_RANGES_TID | DBT_REF_RANGES | TID | TEXT | 20 | | |
| F_REF_RANGES_FROM | DBT_REF_RANGES | REF_FROM | NUMBER | | | |
| F_REF_RANGES_TO | DBT_REF_RANGES | REF_TO | NUMBER | | | |

New records in "LIST" (Editor.mdb)

| ID | NAME | GR_LIST | DLG_ID | GROUPS |
|-----|------------------|---------|--------|--------|
| 163 | Reference Ranges | 3 | | |

New records in "LIST_FIELDS" (Editor.mdb)

| REF | LIST_ID | FIELD_ID | REFERENCE_ID | DISPLAY_ID | RAM_ID | EDIT_TYPE | DISPLAY | WIDTH | ORDER | ACCESS | BOLD |
|------|---------|-------------------|--------------|------------|--------|-----------|----------|-------|-------|--------|------|
| 1879 | 163 | F_REF_RANGES_REF | | | | 1 | Ref | 50 | 0 | 1 | |
| 1880 | 163 | F_REF_RANGES_PC | F_PC_REF | F_PC_NAME | 16 | 2 | Server | 50 | 1 | 2 | |
| 1881 | 163 | F_REF_RANGES_TID | | | | 1 | Table ID | 50 | 2 | 2 | |
| 1882 | 163 | F_REF_RANGES_FROM | | | | 1 | From | 50 | 3 | 2 | |
| 1883 | 163 | F_REF_RANGES_TO | | | | 1 | To | 50 | 4 | 2 | |

SoftWin3 Version 1.03.09 2007-04-20

1. SCS_DistServer: Correct reloading of RAM after AZG editing.
2. SCS_DistServer: Add password control on list editors.
3. SCS_Client: Changes to MUX initialization, reporting on-/offline, enable poll of mux also when not on-line (re-polls TCP network).
4. Clients display server linked to on right, bottom (next to green ICON).

SoftWin3 Version 1.03.10 2007-05-15

1. SCS_Client: Changes to TCP speed.

SoftWin3 Version 1.03.11 2007-06-25

1. SCS_Client: Changes to TCP connect.

SoftWin3 Version 1.03.12 2007-08-13

1. SCS_Client: Correct TCP off-line continuous, change to Mux power-up set-up.
2. SCS_Client: Add PC status event with type Check PC – selects which PC must send data to fingerprint reader.
3. SCS_Tuksconvert: Option of parameter /CardLength:x where x is the number of card digits (e.g. /CardLength:14).

SoftWin3 Version 1.03.13 2007-09-03

1. SCS_Client, SCS_Acres: External link - access via Look-up, APB tables.
2. SCS_Email, SCS_SMS: fixed trigger view display.
3. SCS_Client, SCS_ExtFile: new type of external file Softcon. Please be sure you have in SCS_Client RAM field F_CD_IDNUM. Check database.mdb table SQL_READ fields (FIELDS_ID) with GROUP_ID=54.
4. SCS_Client, SCS_CardMake: display availability of captured finger print templates.
5. SCS_Client: Changes to Event printer. **Please check your setup. Probably you need to redo it!!!**

New records in "TABLES" (Database.mdb):

| ID | SOURCE_ID | NAME | RECORDS | DESCRIPTION |
|---------------|-----------|----------------|---------|-------------|
| DBT_EXT_L_APB | 3 | EXT_LINK_APB | 1 | |
| DBT_EXT_LUP | 1 | EXT_LINK_LUP | 1 | |
| DBT_EXT_LUP_A | 5 | EXT_LINK_LUP_A | 4 | |

New records in "FIELDS" (Database.mdb):

| ID | TABLE_ID | NAME | TYPE | SIZE | DEFAULT | INDEX |
|--------------------|---------------|-----------|-----------|------|------------------|-------|
| F_EXT_L_APB_REF | DBT_EXT_L_APB | REFERENCE | NUMBER | | 0+1 | 1 |
| F_EXT_L_APB_CARD | DBT_EXT_L_APB | CARD | TEXT | 20 | ~F_EXT_L_APB_REF | 2 |
| F_EXT_L_APB_AREA | DBT_EXT_L_APB | AREA | NUMBER | | | |
| F_EXT_L_APB_DT | DBT_EXT_L_APB | DT | DATE/TIME | | | |
| F_EXT_LUP_REF | DBT_EXT_LUP | REFERENCE | NUMBER | | 0+1 | 1 |
| F_EXT_LUP_READER | DBT_EXT_LUP | READER | NUMBER | | | |
| F_EXT_LUP_RESPONSE | DBT_EXT_LUP | RESPONSE | TEXT | 8 | | |
| F_EXT_LUP_RANKING | DBT_EXT_LUP | RANKING | NUMBER | | | |
| F_EXT_LUP_ACTION | DBT_EXT_LUP | ACTION | NUMBER | | | |
| F_EXT_LUP_EVENT | DBT_EXT_LUP | EVENT | TEXT | 48 | | |
| F_EXT_LUP_DISPLAY1 | DBT_EXT_LUP | DISPLAY1 | TEXT | 16 | | |
| F_EXT_LUP_DISPLAY2 | DBT_EXT_LUP | DISPLAY2 | TEXT | 16 | | |
| F_EXT_LUP_A_REF | DBT_EXT_LUP_A | REFERENCE | NUMBER | | 0+1 | 1 |
| F_EXT_LUP_A_NAME | DBT_EXT_LUP_A | NAME | TEXT | 16 | | |

Changed records in "RAM_GROUPS" (Database.mdb):

| ID | NAME | RAM_SIZE | SCS_APP |
|-----|------------------|----------|---------|
| 163 | ExtLinkLookUp | -1 | 0 |
| 164 | ExtLinkAPB | 30 | 0 |
| 165 | ExtLinkLupAccess | -1 | 0 |

Changes in "SQL_READ" (Database.mdb):

| ID | GROUP_ID | TABLE_ID | FIELDS_ID | WHERE_ID |
|-----|----------|---------------|-----------|------------------|
| 563 | 163 | DBT_EXT_LUP | * | F_EXT_LUP_REF |
| 564 | 164 | DBT_EXT_L_APB | * | F_EXT_L_APB_CARD |
| 565 | 165 | DBT_EXT_LUP_A | * | F_EXT_LUP_A_REF |

New records in "LIST" (Editor.mdb)

| ID | NAME | GR_LIST | DLG_ID | GROUPS |
|-----|-----------------------|---------|--------|--------|
| 164 | External Link Look-up | 3 | | |

New records in "LIST_FIELDS" (Editor.mdb)

| REF | LIST_ID | FIELD_ID | REFERENCE_ID | DISPLAY_ID | RAM_ID | EDIT_TYPE | DISPLAY | WIDTH | ORDER | ACCESS | BOLD |
|------|---------|--------------------|-----------------|------------------|--------|-----------|----------|-------|-------|--------|------|
| 1740 | 164 | F_EXT_LUP_REF | | | | 1 | Ref | 50 | 0 | 1 | |
| 1741 | 164 | F_EXT_LUP_READER | F_RD_REF | F_RD_NAME | 49 | 2 | Reader | 50 | 1 | 2 | |
| 1742 | 164 | F_EXT_LUP_RESPONSE | | | | 1 | Response | 50 | 2 | 2 | |
| 1743 | 164 | F_EXT_LUP_RANKING | | | | 1 | Ranking | 50 | 3 | 2 | |
| 1744 | 164 | F_EXT_LUP_ACTION | F_EXT_LUP_A_REF | F_EXT_LUP_A_NAME | 165 | 2 | Action | 50 | 4 | 2 | |
| 1745 | 164 | F_EXT_LUP_EVENT | | | | 1 | Event | 50 | 5 | 2 | |
| 1746 | 164 | F_EXT_LUP_DISPLAY1 | | | | 1 | Display1 | 50 | 6 | 2 | |
| 1747 | 164 | F_EXT_LUP_DISPLAY2 | | | | 1 | Display2 | 50 | 7 | 2 | |

THE TABLE "EXT_LINK_LUP_A" (report.mdb) contains the new records:

| REFERENCE | NAME |
|-----------|---------|
| 0 | |
| 1 | Denied |
| 2 | Access |
| 3 | Request |

THE TABLE "EXTFILE_TYPE" (report.mdb) contains the new records:

| REFERENCE | NAME |
|-----------|---------|
| 8 | Softcon |

Tsogo External link look-up set-up. **EXAMPLE:**

User: Administrator - External Link Look-up

File Edit Status Card Setup Vending Programs Tools View Window Help

External Link Look-up

| Ref | Reader | Response | Ranking | Action | Event | Display1 | Display2 |
|-----|--------|----------|---------|---------|--------------|-------------------|----------|
| 0 | | | | | | | |
| 1 | Entry | @r | -1 | Request | | Requesting... | |
| 2 | Entry | @c | -1 | Denied | | Access is offline | |
| 3 | Entry | WV | 1 | Access | t3 n1 s50 v1 | Welcome to | Casino |
| 4 | Entry | WV | 1 | Access | t3 n2 s50 v1 | | |
| 5 | Entry | WV | 4 | Denied | | Access Denied | |
| 6 | Entry | @a | -1 | Denied | | APB Error | |
| 7 | Exit | @r | -1 | Request | | Requesting... | |
| 8 | Exit | WV | 1 | Access | t3 n2 s50 v1 | Chao | |

SoftWin3 Version 1.03.14 2007-09-26

1. SCS_Client: HOST Link - By editing Card data does not send down to a controller.
2. SCS_Client: Multi-Group bug fixed – out of area does not check multi-group.
3. SCS_Report: Report bug fixed – Print only to set printer.
4. SCS_Client, SCS_CardMake, SCS_Visitor: Integration with MA500.
 - **Attention: Enrolment does not work on MA500 with MA Integrator's Kit 3.2!!!!**
 - To have "right" Sagem score by enrollment on Morpho smart reader you need to have 3 FP acquisitions for each finger. FP reader setup – "Consolidation" must be checked.

New records in "FIELDS" (Database.mdb):

| ID | TABLE_ID | NAME | TYPE | SIZE | DEFAULT | INDEX |
|--------------------|--------------|------------|--------|------|---------|-------|
| F_FP_CARDS_Q1 | DBT_FP_CARDS | QUALITY1 | NUMBER | | | 0 |
| F_FP_CARDS_Q2 | DBT_FP_CARDS | QUALITY2 | NUMBER | | | 0 |
| F_FP_VIS_Q1 | DBT_FP_VIS | QUALITY1 | NUMBER | | | 0 |
| F_FP_VIS_Q2 | DBT_FP_VIS | QUALITY2 | NUMBER | | | 0 |
| F_FP_RD_HW_VERSION | DBT_FP_RD | HW_VERSION | NUMBER | | 120 | 0 |

New records in "LIST_FIELDS" (Editor.mdb)

| REF | LIST_ID | FIELD_ID | REFERENCE_ID | DISPLAY_ID | RAM_ID | EDIT_TYPE | DISPLAY | WIDTH | ORDER | ACCESS | BOLD |
|------|---------|--------------------|--------------|------------|--------|-----------|------------|-------|-------|--------|------|
| 1748 | 128 | F_FP_RD_HW_VERSION | | | | 1 | HW Version | 50 | 35 | 2 | |
| 1749 | 134 | F_FP_RD_HW_VERSION | | | | 1 | HW Version | 50 | 35 | 2 | |
| 1750 | 136 | F_FP_RD_HW_VERSION | | | | 1 | HW Version | 50 | 35 | 2 | |

THE TABLE "FP_TYPE" (report.mdb) contains the new records:

| REFERENCE | NAME |
|-----------|-------------|
| 5 | Sagem MA500 |

SoftWin3 Version 1.03.15 2007-10-01

1. FP enroll quality.

SoftWin3 Version 1.03.16 2007-10-14

1. General changes for VISTA.

SoftWin3 Version 1.03.17 2007-11-14

1. SCS_Asset: Changes to booking system.
2. SCS_Client, SCS_CardMake: "Use Licences" becomes "Licences Count". Licences are <= 10. Please Change the description in editor.mdb, table "Property Controls", IDD=9006, IDC=9532.
3. SCS_Client, SCS_PPos, SCS_ExtTest: Changes to T & R meaning. New messages: T1700, T1800.
4. SCS_Client, SCS_PPos: More from one external system.
5. SCS_Client, Correct multi-group download error.
6. SCS_Client, Select FP reader to use card number / xref .

New records in "TABLES" (Database.mdb):

| ID | SOURCE_ID | NAME | RECORDS | DESCRIPTION |
|--------------|-----------|----------------|---------|-------------|
| DBT_ASSPREC | 14 | PRE_BOOK_CARDS | 0 | |
| DBT_EXTLINK | 1 | EXT_LINKS | 9 | |
| DBT_EXT_MSGS | 1 | EXT_LINK_MSGS | 101 | |

New records in "FIELDS" (Database.mdb):

| ID | TABLE_ID | NAME | TYPE | SIZE | DEFAULT | INDEX | Help |
|--------------------|-------------|--------------|-----------|------|------------------|-------|------|
| F_ASS_ACCESS_GROUP | DBT_ASSET | ACCESS_GROUP | NUMBER | | | 0 | |
| F_ASS_PRE_START | DBT_ASSET | PRE_START | TEXT | 16 | yyyy-mm-dd hh:10 | 0 | |
| F_ASS_POST_END | DBT_ASSET | POST_END | TEXT | 16 | yyyy-mm-dd hh:10 | 0 | |
| F_ASS_MAX_R_PERIOD | DBT_ASSET | MAX_R_PERIOD | TEXT | 16 | yyyy-mm-dd hh:mm | 0 | |
| F_ASS_LATE_START | DBT_ASSET | LATE_START | TEXT | 16 | yyyy-mm-dd hh:mm | 0 | |
| F_ASS_LATE_CANCEL | DBT_ASSET | LATE_CANCEL | TEXT | 16 | yyyy-mm-dd hh:mm | 0 | |
| F_ASS_LATE_RESERVE | DBT_ASSET | LATE_RESERVE | TEXT | 16 | yyyy-mm-dd hh:mm | 0 | |
| F_ASS_PC_SERVICE | DBT_ASSET | PC_SERVICE | NUMBER | | | 0 | |
| F_ASS_AUTO_ISSUE | DBT_ASSET | AUTO_ISSUE | NUMBER | | | 0 | |
| F_ASS_MAX_CARDS | DBT_ASSET | MAX_CARDS | NUMBER | | 1 | 0 | |
| F_ASSPREC_REF | DBT_ASSPREC | REFERENCE | NUMBER | | 1+1 | 1 | |
| F_ASSPREC_A_REF | DBT_ASSPREC | ASSET_REF | NUMBER | | | 0 | |
| F_ASSPREC_PR_REF | DBT_ASSPREC | PREBOOK_REF | NUMBER | | | 0 | |
| F_ASSPREC_XREF | DBT_ASSPREC | CARD_REF | NUMBER | | | 0 | |
| F_ASSPREC_AREA | DBT_ASSPREC | AREA_GROUP | NUMBER | | | 0 | |
| F_ASSPREC_START | DBT_ASSPREC | START_DT | DATE/TIME | | | 0 | |

| | | | | | | | |
|--------------------|--------------|----------------|-----------|-----|------------------|---|---|
| F_ASSPREC_END | DBT_ASSPREC | END_DT | DATE/TIME | | | 0 | |
| F_ASSPREC_ST_DONE | DBT_ASSPREC | BEGIN_DONE | NUMBER | | 0 | 0 | |
| F_ASSPRE_INVALID | DBT_ASSPRE | INVALID | NUMBER | | 0 | 0 | |
| F_GEN_EXP_L_PER_1 | DBT_GENERAL | EXP_LIC_PER_1 | TEXT | 16 | yyyy-mm-dd hh:mm | 0 | |
| F_GEN_EXP_L_PER_2 | DBT_GENERAL | EXP_LIC_PER_2 | TEXT | 16 | yyyy-mm-dd hh:mm | 0 | |
| F_GEN_EXP_L_PER_3 | DBT_GENERAL | EXP_LIC_PER_3 | TEXT | 16 | yyyy-mm-dd hh:mm | 0 | |
| F_GEN_EXP_L_PER_4 | DBT_GENERAL | EXP_LIC_PER_4 | TEXT | 16 | yyyy-mm-dd hh:mm | 0 | |
| F_GEN_EXP_L_PER_5 | DBT_GENERAL | EXP_LIC_PER_5 | TEXT | 16 | yyyy-mm-dd hh:mm | 0 | |
| F_GEN_EXP_L_PER_6 | DBT_GENERAL | EXP_LIC_PER_6 | TEXT | 16 | yyyy-mm-dd hh:mm | 0 | |
| F_GEN_EXP_L_PER_7 | DBT_GENERAL | EXP_LIC_PER_7 | TEXT | 16 | yyyy-mm-dd hh:mm | 0 | |
| F_GEN_EXP_L_PER_8 | DBT_GENERAL | EXP_LIC_PER_8 | TEXT | 16 | yyyy-mm-dd hh:mm | 0 | |
| F_GEN_EXP_L_PER_9 | DBT_GENERAL | EXP_LIC_PER_9 | TEXT | 16 | yyyy-mm-dd hh:mm | 0 | |
| F_GEN_EXP_L_PER_10 | DBT_GENERAL | EXP_LIC_PER_10 | TEXT | 16 | yyyy-mm-dd hh:mm | 0 | |
| F_GEN_EXP_L_FIX_1 | DBT_GENERAL | EXP_LIC_FIX_1 | NUMBER | | | 0 | |
| F_GEN_EXP_L_FIX_2 | DBT_GENERAL | EXP_LIC_FIX_2 | NUMBER | | | 0 | |
| F_GEN_EXP_L_FIX_3 | DBT_GENERAL | EXP_LIC_FIX_3 | NUMBER | | | 0 | |
| F_GEN_EXP_L_FIX_4 | DBT_GENERAL | EXP_LIC_FIX_4 | NUMBER | | | 0 | |
| F_GEN_EXP_L_FIX_5 | DBT_GENERAL | EXP_LIC_FIX_5 | NUMBER | | | 0 | |
| F_GEN_EXP_L_FIX_6 | DBT_GENERAL | EXP_LIC_FIX_6 | NUMBER | | | 0 | |
| F_GEN_EXP_L_FIX_7 | DBT_GENERAL | EXP_LIC_FIX_7 | NUMBER | | | 0 | |
| F_GEN_EXP_L_FIX_8 | DBT_GENERAL | EXP_LIC_FIX_8 | NUMBER | | | 0 | |
| F_GEN_EXP_L_FIX_9 | DBT_GENERAL | EXP_LIC_FIX_9 | NUMBER | | | 0 | |
| F_GEN_EXP_L_FIX_10 | DBT_GENERAL | EXP_LIC_FIX_10 | NUMBER | | | 0 | |
| F_CD_LIC_7_DT | DBT_CD | LIC_7_DT | DATE/TIME | | | 0 | Licence 7 expiry. <Access> |
| F_CD_LIC_7_TYPE | DBT_CD | LIC_7_TYPE | NUMBER | | | 0 | Licence 7 type. <Access> |
| F_CD_LIC_7_USE | DBT_CD | LIC_7_USE | NUMBER | | 0 | 0 | Licence 7 used to calculate expiry. <Access> |
| F_CD_LIC_8_DT | DBT_CD | LIC_8_DT | DATE/TIME | | | 0 | Licence 8 expiry. <Access> |
| F_CD_LIC_8_TYPE | DBT_CD | LIC_8_TYPE | NUMBER | | | 0 | Licence 8 type. <Access> |
| F_CD_LIC_8_USE | DBT_CD | LIC_8_USE | NUMBER | | 0 | 0 | Licence 8 used to calculate expiry. <Access> |
| F_CD_LIC_9_DT | DBT_CD | LIC_9_DT | DATE/TIME | | | 0 | Licence 9 expiry. <Access> |
| F_CD_LIC_9_TYPE | DBT_CD | LIC_9_TYPE | NUMBER | | | 0 | Licence 9 type. <Access> |
| F_CD_LIC_9_USE | DBT_CD | LIC_9_USE | NUMBER | | 0 | 0 | Licence 9 used to calculate expiry. <Access> |
| F_CD_LIC_10_DT | DBT_CD | LIC_10_DT | DATE/TIME | | | 0 | Licence 10 expiry. <Access> |
| F_CD_LIC_10_TYPE | DBT_CD | LIC_10_TYPE | NUMBER | | | 0 | Licence 10 type. <Access> |
| F_CD_LIC_10_USE | DBT_CD | LIC_10_USE | NUMBER | | 0 | 0 | Licence 10 used to calculate expiry. <Access> |
| F_EXTLINK_REF | DBT_EXTLINK | REFERENCE | NUMBER | | 0+1 | 1 | |
| F_EXTLINK_NAME | DBT_EXTLINK | NAME | TEXT | 50 | | 0 | |
| F_EXTLINK_PC | DBT_EXTLINK | PC | NUMBER | | | 0 | |
| F_EXTLINK_APP | DBT_EXTLINK | APP | NUMBER | | | 0 | |
| F_EXTLINK_DELAY | DBT_EXTLINK | DELAY | NUMBER | | | 0 | |
| F_EXTLINK_REPEAT | DBT_EXTLINK | REPEAT | NUMBER | | | 0 | |
| F_EXTLINK_LOGFILE | DBT_EXTLINK | LOGFILE | TEXT | 128 | | 0 | |
| F_EXTLINK_TALK | DBT_EXTLINK | TALK | NUMBER | | | 0 | |
| F_EXTLINK_HOST | DBT_EXTLINK | HOST | Text | 64 | | 0 | |
| F_EXTLINK_PORT | DBT_EXTLINK | PORT | NUMBER | | | 0 | |
| F_EXTLINK_S_SPEED | DBT_EXTLINK | SPEED | NUMBER | | | 0 | |
| F_EXTLINK_S_PAR | DBT_EXTLINK | PARITY | NUMBER | | | 0 | |
| F_EXTLINK_S_DATA | DBT_EXTLINK | DATABITS | NUMBER | | | 0 | |
| F_EXTLINK_S_SBIT | DBT_EXTLINK | SPEEDBIT | NUMBER | | | 0 | |
| F_EXTLINK_S_FLOW | DBT_EXTLINK | FLOW | NUMBER | | | 0 | |
| F_EXTLINK_STATUS | DBT_EXTLINK | STATUS | NUMBER | | | 0 | |
| F_EXT_MSGS_REF | DBT_EXT_MSGS | REFERENCE | NUMBER | | 0+1 | 1 | |

| | | | | | | | |
|-------------------|--------------|---------------|--------|---|---|---|--|
| F_EXT_MSGS_LINK | DBT_EXT_MSGS | LINK_REF | NUMBER | | | 0 | |
| F_EXT_MSGS_MSG | DBT_EXT_MSGS | MESSAGE | TEXT | 5 | | 0 | |
| F_FP_RD_U_CARDNUM | DBT_FP_RD | USING_CARDNUM | NUMBER | | 0 | 0 | |

Changed records in "RAM_GROUPS" (Database.mdb):

| ID | NAME | RAM_SIZE | SCS_APP |
|-------|--------------------|----------|---------|
| 11031 | Pre-book Cards | 1 | 11 |
| 11032 | AssetAreaZoneGroup | 1 | 11 |
| 166 | ExternalLink | -1 | 0 |
| 167 | ExtLinkMessages | -1 | 0 |
| 6061 | PPosExternalLink | -1 | 7 |
| 6062 | PPosExtLinkMsgs | -1 | 7 |
| 6063 | PPosExtLinkStatus | -1 | 7 |

Changes in "SQL_READ" (Database.mdb):

| ID | GROUP_ID | TABLE_ID | FIELDS_ID | WHERE_ID |
|-----|----------|---------------|------------------|-----------------|
| | 11005 | DBT_CD | F_CD_IDNUM | |
| 570 | 11031 | DBT_ASSPREC | * | F_ASSPREC_REF |
| 571 | 11032 | DBT_AZG | * | F_AZG_REF |
| 572 | 166 | DBT_EXTLINK | * | F_EXTLINK_REF |
| 573 | 167 | DBT_EXT_MSGS | * | F_EXT_MSGS_REF |
| 574 | 6061 | DBT_EXTLINK | * | F_EXTLINK_REF |
| 575 | 6062 | DBT_EXT_MSGS | * | F_EXT_MSGS_REF |
| 576 | 6063 | DBT_CNTR_STAT | F_CNTR_STAT_NAME | F_CNTR_STAT_REF |

Changed records in "PROPERTY_PAGES" (Editor.mdb):

| ID | NAME |
|-------|----------|
| 10071 | Licences |

Changed records in "PROPERTY_CONTROLS" (Editor.mdb):

| IDD | IDC | DISPLAY_NAME | FIELD_ID | REFERENCE_ID | DISPLAY_ID | RAM_ID | BIG_LIST |
|-------|-------|--------------------------|--------------------|--------------|------------|--------|----------|
| 1011 | 1024 | ID | F_CD_IDNUM | | | | |
| 10071 | 10265 | Licence 1 Expired Mask | F_GEN_EXP_L_PER_1 | | | | |
| 10071 | 10268 | Licence 1 Expired Fixed | F_GEN_EXP_L_FIX_1 | | | | |
| 10071 | 10270 | Licence 2 Expired Mask | F_GEN_EXP_L_PER_2 | | | | |
| 10071 | 10272 | Licence 2 Expired Fixed | F_GEN_EXP_L_FIX_2 | | | | |
| 10071 | 10274 | Licence 3 Expired Mask | F_GEN_EXP_L_PER_3 | | | | |
| 10071 | 10276 | Licence 3 Expired Fixed | F_GEN_EXP_L_FIX_3 | | | | |
| 10071 | 10282 | Licence 4 Expired Mask | F_GEN_EXP_L_PER_4 | | | | |
| 10071 | 10284 | Licence 4 Expired Fixed | F_GEN_EXP_L_FIX_4 | | | | |
| 10071 | 10286 | Licence 5 Expired Mask | F_GEN_EXP_L_PER_5 | | | | |
| 10071 | 10288 | Licence 5 Expired Fixed | F_GEN_EXP_L_FIX_5 | | | | |
| 10071 | 10290 | Licence 6 Expired Mask | F_GEN_EXP_L_PER_6 | | | | |
| 10071 | 10292 | Licence 6 Expired Fixed | F_GEN_EXP_L_FIX_6 | | | | |
| 10071 | 10294 | Licence 7 Expired Mask | F_GEN_EXP_L_PER_7 | | | | |
| 10071 | 10296 | Licence 7 Expired Fixed | F_GEN_EXP_L_FIX_7 | | | | |
| 10071 | 10298 | Licence 8 Expired Mask | F_GEN_EXP_L_PER_8 | | | | |
| 10071 | 10300 | Licence 8 Expired Fixed | F_GEN_EXP_L_FIX_8 | | | | |
| 10071 | 10302 | Licence 9 Expired Mask | F_GEN_EXP_L_PER_9 | | | | |
| 10071 | 10304 | Licence 9 Expired Fixed | F_GEN_EXP_L_FIX_9 | | | | |
| 10071 | 10306 | Licence 10 Expired Mask | F_GEN_EXP_L_PER_10 | | | | |
| 10071 | 10308 | Licence 10 Expired Fixed | F_GEN_EXP_L_FIX_10 | | | | |

| | | | | | | | |
|-------|-------|------------------------------|------------------|----------------|-----------------|------|--|
| 10067 | 10216 | License 7 | F_CD_LIC_7_TYPE | F_LIC_TYPE_REF | F_LIC_TYPE_NAME | 153 | |
| 10067 | 10218 | Expires 7 | F_CD_LIC_7_DT | | | | |
| 10067 | 10220 | Use 7 | F_CD_LIC_7_USE | F_NO_YES_REF | F_NO_YES_NAME | 102 | |
| 10067 | 10222 | License 8 | F_CD_LIC_8_TYPE | F_LIC_TYPE_REF | F_LIC_TYPE_NAME | 153 | |
| 10067 | 10224 | Expires 8 | F_CD_LIC_8_DT | | | | |
| 10067 | 10226 | Use 8 | F_CD_LIC_8_USE | F_NO_YES_REF | F_NO_YES_NAME | 102 | |
| 10067 | 10228 | License 9 | F_CD_LIC_9_TYPE | F_LIC_TYPE_REF | F_LIC_TYPE_NAME | 153 | |
| 10067 | 10230 | Expires 9 | F_CD_LIC_9_DT | | | | |
| 10067 | 10232 | Use 9 | F_CD_LIC_9_USE | F_NO_YES_REF | F_NO_YES_NAME | 102 | |
| 10067 | 10234 | License 10 | F_CD_LIC_10_TYPE | F_LIC_TYPE_REF | F_LIC_TYPE_NAME | 153 | |
| 10067 | 10236 | Expires 10 | F_CD_LIC_10_DT | | | | |
| 10067 | 10238 | Use 10 | F_CD_LIC_10_USE | F_NO_YES_REF | F_NO_YES_NAME | 102 | |
| 10067 | 10264 | Button Set Expiry Licence 1 | | | | | |
| 10067 | 10265 | Button Set Expiry Licence 2 | | | | | |
| 10067 | 10266 | Button Set Expiry Licence 3 | | | | | |
| 10067 | 10267 | Button Set Expiry Licence 4 | | | | | |
| 10067 | 10269 | Button Set Expiry Licence 5 | | | | | |
| 10067 | 10270 | Button Set Expiry Licence 6 | | | | | |
| 10067 | 10268 | Button Set Expiry Licence 7 | | | | | |
| 10067 | 10271 | Button Set Expiry Licence 8 | | | | | |
| 10067 | 10272 | Button Set Expiry Licence 9 | | | | | |
| 10067 | 10273 | Button Set Expiry Licence 10 | | | | | |
| 10068 | 10216 | License 7 | F_CD_LIC_7_TYPE | F_LIC_TYPE_REF | F_LIC_TYPE_NAME | 4051 | |
| 10068 | 10218 | Expires 7 | F_CD_LIC_7_DT | | | | |
| 10068 | 10220 | Use 7 | F_CD_LIC_7_USE | F_NO_YES_REF | F_NO_YES_NAME | 4022 | |
| 10068 | 10222 | License 8 | F_CD_LIC_8_TYPE | F_LIC_TYPE_REF | F_LIC_TYPE_NAME | 4051 | |
| 10068 | 10224 | Expires 8 | F_CD_LIC_8_DT | | | | |
| 10068 | 10226 | Use 8 | F_CD_LIC_8_USE | F_NO_YES_REF | F_NO_YES_NAME | 4022 | |
| 10068 | 10228 | License 9 | F_CD_LIC_9_TYPE | F_LIC_TYPE_REF | F_LIC_TYPE_NAME | 4051 | |
| 10068 | 10230 | Expires 9 | F_CD_LIC_9_DT | | | | |
| 10068 | 10232 | Use 9 | F_CD_LIC_9_USE | F_NO_YES_REF | F_NO_YES_NAME | 4022 | |
| 10068 | 10234 | License 10 | F_CD_LIC_10_TYPE | F_LIC_TYPE_REF | F_LIC_TYPE_NAME | 4051 | |
| 10068 | 10236 | Expires 10 | F_CD_LIC_10_DT | | | | |
| 10068 | 10238 | Use 10 | F_CD_LIC_10_USE | F_NO_YES_REF | F_NO_YES_NAME | 4022 | |
| 10068 | 10264 | Button Set Expiry Licence 1 | | | | | |
| 10068 | 10265 | Button Set Expiry Licence 2 | | | | | |
| 10068 | 10266 | Button Set Expiry Licence 3 | | | | | |
| 10068 | 10267 | Button Set Expiry Licence 4 | | | | | |
| 10068 | 10269 | Button Set Expiry Licence 5 | | | | | |
| 10068 | 10270 | Button Set Expiry Licence 6 | | | | | |
| 10068 | 10268 | Button Set Expiry Licence 7 | | | | | |
| 10068 | 10271 | Button Set Expiry Licence 8 | | | | | |
| 10068 | 10272 | Button Set Expiry Licence 9 | | | | | |
| 10068 | 10273 | Button Set Expiry Licence 10 | | | | | |

New records in "LIST" (Editor.mdb)

| ID | NAME | GR_LIST | DLG_ID | GROUPS |
|-----|------------------------|---------|--------|--------|
| 165 | External Links | 3 | | |
| 166 | External Link Messages | 3 | | |
| 167 | External Links | 21 | | |
| 168 | External Link Messages | 21 | | |

New records in "LIST_FIELDS" (Editor.mdb)

| REF | LIST_ID | FIELD_ID | REFERENCE_ID | DISPLAY_ID | RAM_ID | EDIT_TYPE | DISPLAY | WIDTH | ORDER | ACCESS | BOLD |
|------|---------|--------------------|-------------------|--------------------|--------|-----------|------------------|-------|-------|--------|------|
| 1752 | 109 | F_ASS_ACCESS_GROUP | | | | 1 | Area Group | 50 | 13 | 2 | |
| 1753 | 109 | F_ASS_PRE_START | | | | 1 | Pre-Start | 50 | 14 | 2 | |
| 1754 | 109 | F_ASS_POST_END | | | | 1 | Post-End | 50 | 15 | 2 | |
| 1755 | 109 | F_ASS_MAX_R_PERIOD | | | | 1 | Max Resrv Period | 50 | 16 | 2 | |
| 1756 | 109 | F_ASS_LATE_START | | | | 1 | Late Start | 50 | 17 | 2 | |
| 1757 | 109 | F_ASS_LATE_CANCEL | | | | 1 | Late Cancel | 50 | 18 | 2 | |
| 1758 | 109 | F_ASS_LATE_RESERVE | | | | 1 | Late Reserve | 50 | 19 | 2 | |
| 1759 | 109 | F_ASS_PC_SERVICE | F_PC_REF | F_PC_NAME | 11001 | 2 | PC Service | 50 | 20 | 2 | |
| 1760 | 109 | F_ASS_AUTO_ISSUE | | | | 4 | Auto Issue | 50 | 21 | 2 | |
| 1761 | 109 | F_ASS_MAX_CARDS | | | | 1 | Max Cards | 50 | 22 | 2 | |
| 1762 | 144 | F_ASSPRE_INVALID | | | | 1 | Invalid | 50 | 6 | 0 | |
| 1763 | 165 | F_EXTLINK_REF | | | | 1 | Ref | 50 | 0 | 1 | |
| 1764 | 165 | F_EXTLINK_NAME | | | | 1 | Name | 50 | 1 | 2 | |
| 1765 | 165 | F_EXTLINK_PC | F_PC_REF | F_PC_NAME | 16 | 2 | PC | 50 | 2 | 2 | |
| 1766 | 165 | F_EXTLINK_APP | | | | 1 | Application | 50 | 3 | 2 | |
| 1767 | 165 | F_EXTLINK_DELAY | | | | 1 | Delay | 50 | 4 | 2 | |
| 1768 | 165 | F_EXTLINK_REPEAT | | | | 1 | Repeat | 50 | 5 | 2 | |
| 1769 | 165 | F_EXTLINK_LOGFILE | | | | 1 | Log-file | 50 | 6 | 2 | |
| 1770 | 165 | F_EXTLINK_TALK | F_EXTSYS_TALK_REF | F_EXTSYS_TALK_NAME | 92 | 2 | Talk | 50 | 7 | 2 | |
| 1771 | 165 | F_EXTLINK_HOST | | | | 1 | Host | 50 | 8 | 2 | |
| 1772 | 165 | F_EXTLINK_PORT | | | | 1 | Port | 50 | 9 | 2 | |
| 1773 | 165 | F_EXTLINK_S_SPEED | F_COM_SPEED_TYPE | F_COM_SPEED_REF | 117 | 2 | Speed | 50 | 10 | 2 | |
| 1774 | 165 | F_EXTLINK_S_PAR | F_COM_PAR_TYPE | F_COM_PAR_REF | 116 | 2 | Parity | 50 | 11 | 2 | |
| 1775 | 165 | F_EXTLINK_S_DATA | F_COM_DATA_TYPE | F_COM_DATA_REF | 113 | 2 | Data | 50 | 12 | 2 | |
| 1776 | 165 | F_EXTLINK_S_SBIT | F_COM_STOP_TYPE | F_COM_STOP_REF | 118 | 2 | Stopbits | 50 | 13 | 2 | |
| 1777 | 165 | F_EXTLINK_S_FLOW | F_COM_FLOW_TYPE | F_COM_FLOW_REF | 114 | 2 | Flow | 50 | 14 | 2 | |
| 1778 | 165 | F_EXTLINK_STATUS | F_CNTR_STAT_NAME | F_CNTR_STAT_REF | 17 | 2 | Status | 50 | 15 | 1 | |
| 1779 | 166 | F_EXT_MSGS_REF | | | | 1 | Ref | 50 | 0 | 1 | |
| 1780 | 166 | F_EXT_MSGS_LINK | F_EXTLINK_REF | F_EXTLINK_NAME | 166 | 2 | Link | 50 | 1 | 2 | |
| 1781 | 166 | F_EXT_MSGS_MSG | | | | 1 | Message | 50 | 2 | 2 | |
| 1782 | 167 | F_EXTLINK_REF | | | | 1 | Ref | 50 | 0 | 1 | |
| 1783 | 167 | F_EXTLINK_NAME | | | | 1 | Name | 50 | 1 | 2 | |
| 1784 | 167 | F_EXTLINK_PC | F_PC_REF | F_PC_NAME | 6001 | 2 | PC | 50 | 2 | 2 | |
| 1785 | 167 | F_EXTLINK_APP | | | | 1 | Application | 50 | 3 | 2 | |
| 1786 | 167 | F_EXTLINK_DELAY | | | | 1 | Delay | 50 | 4 | 2 | |
| 1787 | 167 | F_EXTLINK_REPEAT | | | | 1 | Repeat | 50 | 5 | 2 | |
| 1788 | 167 | F_EXTLINK_LOGFILE | | | | 1 | Log-file | 50 | 6 | 2 | |
| 1789 | 167 | F_EXTLINK_TALK | F_EXTSYS_TALK_REF | F_EXTSYS_TALK_NAME | 92 | 2 | Talk | 50 | 7 | 2 | |
| 1790 | 167 | F_EXTLINK_HOST | | | | 1 | Host | 50 | 8 | 2 | |
| 1791 | 167 | F_EXTLINK_PORT | | | | 1 | Port | 50 | 9 | 2 | |
| 1792 | 167 | F_EXTLINK_S_SPEED | F_COM_SPEED_TYPE | F_COM_SPEED_REF | 6033 | 2 | Speed | 50 | 10 | 2 | |
| 1793 | 167 | F_EXTLINK_S_PAR | F_COM_PAR_TYPE | F_COM_PAR_REF | 6035 | 2 | Parity | 50 | 11 | 2 | |
| 1794 | 167 | F_EXTLINK_S_DATA | F_COM_DATA_TYPE | F_COM_DATA_REF | 6034 | 2 | Data | 50 | 12 | 2 | |
| 1796 | 167 | F_EXTLINK_S_SBIT | F_COM_STOP_TYPE | F_COM_STOP_REF | 6036 | 2 | Stopbits | 50 | 13 | 2 | |
| 1797 | 167 | F_EXTLINK_S_FLOW | F_COM_FLOW_TYPE | F_COM_FLOW_REF | 6037 | 2 | Flow | 50 | 14 | 2 | |
| 1798 | 167 | F_EXTLINK_STATUS | F_CNTR_STAT_NAME | F_CNTR_STAT_REF | 6063 | 2 | Status | 50 | 15 | 1 | |
| 1799 | 168 | F_EXT_MSGS_REF | | | | 1 | Ref | 50 | 0 | 1 | |
| 1800 | 168 | F_EXT_MSGS_LINK | F_EXTLINK_REF | F_EXTLINK_NAME | 6061 | 2 | Link | 50 | 1 | 2 | |
| 1801 | 168 | F_EXT_MSGS_MSG | | | | 1 | Message | 50 | 2 | 2 | |
| 1802 | 128 | F_FP_RD_U_CARDNUM | | | | 4 | Using CardNo | 50 | 15 | 2 | |

| | | | | | | | | | | | |
|------|-----|-------------------|--|--|--|---|--------------|----|----|---|--|
| 1803 | 134 | F_FP_RD_U_CARDNUM | | | | 4 | Using CardNo | 50 | 15 | 2 | |
| 1804 | 136 | F_FP_RD_U_CARDNUM | | | | 4 | Using CardNo | 50 | 15 | 2 | |

SoftWin3 Version 1.03.19 2007-12-02

1. SCS_Asset: Changes to booking system.

New records in "FIELDS" (Database.mdb):

| ID | TABLE_ID | NAME | TYPE | SIZE | DEFAULT | INDEX | Help |
|-------------------|------------|-------------|-----------|------|---------|-------|------|
| F_ASSPRE_BOOK_DT | DBT_ASSPRE | BOOK_DT | DATE/TIME | | | 0 | |
| F_ASS_AUTO_RETURN | DBT_ASSET | AUTO_RETURN | NUMBER | | | 0 | |

New records in "LIST_FIELDS" (Editor.mdb)

| REF | LIST_ID | FIELD_ID | REFERENCE_ID | DISPLAY_ID | RAM_ID | EDIT_TYPE | DISPLAY | WIDTH | ORDER | ACCESS | BOLD |
|------|---------|-------------------|--------------|------------|--------|-----------|-------------|-------|-------|--------|------|
| 1808 | 144 | F_ASSPRE_BOOK_DT | | | | 1 | Booked DT | 50 | 7 | 1 | |
| 1809 | 106 | F_PC_CARD | | | | 4 | Use Card No | 50 | 3 | 2 | |
| 1810 | 109 | F_ASS_AUTO_RETURN | | | | 4 | Auto Return | 50 | 31 | 2 | |

SoftWin3 Version 1.03.22 2008-02-28

1. SCS_Client: Accumulation display. Not overwrite top line. Setup for week, month total.
2. SCS_ReportServer: Fixed Language problem;
3. SCS_Client: Fixed Fingerprint download DB for use card.
4. SCS_Client: MA100 create DB problem.
5. SCS_Client, SCS_ExtFile: Clock watch format changes.
6. SCS_Draw. New features – Display item as text and addition of a subwindow for an item.
7. SCS_Mux. Fixed communications w/ 390 controller.

New records in "MESSAGES" (Database.mdb):

| APPLICATION_ID | MESSAGE_ID | VERSION | TEXT | TEXT_FRA |
|----------------|------------|---------|----------------------|----------|
| 14 | 102 | 1.0.0.1 | Create Subwindow | |
| 14 | 103 | 1.0.0.1 | Edit Subwindow | |
| 14 | 104 | 1.0.0.1 | Delete Subwindow | |
| 14 | 105 | 1.0.0.1 | Auto Close Subwindow | |
| 14 | 106 | 1.0.0.1 | Sub X-Position | |
| 14 | 107 | 1.0.0.1 | Sub Y-Position | |
| 14 | 108 | 1.0.0.1 | Sub Width | |
| 14 | 109 | 1.0.0.1 | Sub Height | |
| 14 | 110 | 1.0.0.1 | Link To | |
| 14 | 111 | 1.0.0.1 | Link From | |
| 14 | 112 | 1.0.0.1 | Display Text | |
| 14 | 113 | 1.0.0.1 | Properties | |

New records in "FIELDS" (Database.mdb):

| ID | TABLE_ID | NAME | TYPE | SIZE | DEFAULT | INDEX | Help |
|---------------------|-------------|---------------|--------|------|---------|-------|------|
| F_GEN_ACC_DIS_WEEK | DBT_GENERAL | ACC_DIS_WEEK | NUMBER | | 1 | 0 | |
| F_GEN_ACC_DIS_MONTH | DBT_GENERAL | ACC_DIS_MONTH | NUMBER | | 1 | 0 | |

| | | | | | | |
|----------------------|-------------|--------------------|--------|--|----|---|
| F_GEN_ASSET_FINISH | DBT_GENERAL | ASSET_FINISHED | NUMBER | | 0 | 0 |
| F_DRAW_DISP_INFO | DBT_DRAW | DISP_INFO | NUMBER | | 0 | 0 |
| F_DRAW_DISP_TXTCOLOR | DBT_DRAW | DISP_TEXT_COLOR | NUMBER | | 0 | 0 |
| F_DRAW_DISP_TXTPROP | DBT_DRAW | DISP_TEXT_FONTPROP | NUMBER | | 0 | 0 |
| F_DRAW_DISP_TXTSET | DBT_DRAW | DISP_TEXT_CHARSET | NUMBER | | 1 | 0 |
| F_DRAW_LINK_TO_REF | DBT_DRAW | LINK_TO_REF | NUMBER | | -1 | 0 |
| F_DRAW_SUB_CLOSE | DBT_DRAW | SUB_CLOSE | NUMBER | | 0 | 0 |
| F_DRAW_SUB_HEIGHT | DBT_DRAW | SUB_HEIGHT | NUMBER | | 0 | 0 |
| F_DRAW_SUB_WIDTH | DBT_DRAW | SUB_WIDTH | NUMBER | | 0 | 0 |
| F_DRAW_SUB_XPOS | DBT_DRAW | SUB_XPOS | NUMBER | | 0 | 0 |
| F_DRAW_SUB_YPOS | DBT_DRAW | SUB_YPOS | NUMBER | | 0 | 0 |

Changed records in "PROPERTY_PAGES" (Editor.mdb):

| ID | NAME |
|------|---------------|
| 1014 | Prebook Cards |

Changed records in "PROPERTY_CONTROLS" (Editor.mdb):

| IDD | IDC | DISPLAY_NAME | FIELD_ID | REFERENCE_ID | DISPLAY_ID | RAM_ID | BIG_LIST |
|-------|-------|------------------------------------|---------------------|--------------|-------------|--------|----------|
| 9099 | 10270 | Week | F_GEN_ACC_DIS_WEEK | | | | |
| 9099 | 10272 | Month | F_GEN_ACC_DIS_MONTH | | | | |
| 9006 | 10149 | Asset Auto Finished Period (HH:MM) | F_GEN_ASSET_FINISH | | | | |
| 10048 | 10149 | Asset Auto Finished Period (HH:MM) | F_GEN_ASSET_FINISH | | | | |
| 1014 | 1036 | Reference | F_CD_REF | | | | |
| 1014 | 1037 | Name | F_CD_NAME | | | | |
| 1014 | 1022 | Photo | F_CM_PHOTO | | | | |
| 1014 | 1015 | Address | F_CD_ADD_1 | | | | |
| 1014 | 1042 | Card N | F_CD_NUM | | | | |
| 1014 | 1011 | Employ N | F_CD_EMPLOY | | | | |
| 1014 | 1024 | ID | F_CD_IDNUM | | | | |
| 1014 | 1083 | Department | F_CD_DEPT | F_DEPT_REF | F_DEPT_NAME | 11022 | |
| 1014 | 1017 | Phone (Work) | F_CD_PH_WORK | | | | |
| 1014 | 1019 | Phone (Home) | F_CD_PH_HOME | | | | |
| 1014 | 1021 | Phone (Cell) | F_CD_PH_CELL | | | | |

SoftWin3 Version 1.03.23 2008-03-04

1. SCS_Client,SCS_Asset,SCS_POS,SCS_PPos,SCS_CardMake,SCS_Visitor,SCS_Server: Properties show/search only records from ListEditor.
2. SCS_Visitor: Apply access to item on card number.
3. SCS_Visitor: If card number is read only – use card reader to find visitor record.
4. SCS_Visitor: When Search box is active, and search is card number – card at reader goes to the search box.
5. SCS_Visitor, SCS_Server: On save and send clear all instances of the card number in visitor db.

==